



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.



Philosophical Transactions

Please note: Due to an error in the print volume, the page numbering in this article may contain either page numbering skips, or page numbering repetitions, or both. However, the article content is presented in its entirety and in correct reading order.

Please click on "Next Page" (at the top of the screen) to begin viewing the article.

V. *An Account of a Book, Entitled,*

Hortus Medicus Amstelodamensis, five Plantarum tam Orientalis quam Occidentalis Indiæ aliarumque peregrinarum Descriptio & Icones. Autore Joanne Commelino Urbis Amstelod. (dum viverit) Senatore. Et latinitate donatum, Notis & Observationibus illustratum a Frederico Ruyschio, M. D. Botar. Profess. &c. & Francisco Kiggelario, Amst. 1697. Fol. And to be sold by S. Smith, and B. Walford, in St. Paul's Church-Yard. With many additional Remarks by J.P. Fellow of the Royal Society.

This Work is none of the least *Specimens* of Modern Magnificence and Improvement in the History of Nature, which though she opens daily such Mines and Treasures, yet is never like to be exhausted. The *Art* of *Calcography* has given to these Studies a new sort of Life and Perspicuity; the Beauty and Graces whereof, have drawn many Illustrious Persons abroad, into a kind of Emulation who should excel in this Noble and most useful Ornament: What the *English* want in this Part, they have made up in their Critical Methods in their Discoveries of *Non Descript Species*, and in their judicious References to the Synonymous Names of various Writers, whereby the terrible Vices of Confusion and Multiplicity have been very much corrected. For this I need name no more than a *Worthy Member of the Royal Society*, who has been pleas'd to shew such an admirable Skill and Talent this Way, as will hardly be match'd either in past, present, or future Ages.

The *Authors* of this Garden have here *described* and elegantly *Figured* above a Hundred several Plants, which take in order, with the Illustrations of many additional *Synonima*, not mentioned by the *Curious Publishers*.

1. Ranunculus *Ethiopicus* foliis rigidis, floribus ex luteo virescentibus *H. Amst.* p. 1. Tab. 1. perelegans *D. Franqueville*, foliis aculeatis *Lob. illust.* 135. Imperatoria Ranunculoides *Africana* enneaphyllos, Læserpitii lobatis foliis rigidis margine spinosis *Pluk.* Tab. 95. Fig. 2. Sphondilii Panacis rigido hirtoque folio Planta *Africana*, caustica *P. B. P.* Umbellifera urens Capitis bonæ spei *Alm. Bot.* 198.

2. Alcea Carpinifolia *Americana* frutescens, flosculis luteis semine duplici rostro donato *H. Amst.* p. 3. Tab. 2. *Virginiana* Carpinifolia flosculis minimis luteis semine duplici rostro s. aculeo predicto *H. Ox.* 528. S. v. Tab. 35. Fig. ult. *Althea Virg.*

bidens Pimpinellæ majoris acutiore folio, flosculis minimis luteis Pluk. Tab. 9. Fig. 6.

3. *Chrysanthemum Americanum* caule alato, flore aphyllō globoſo Aurantio foliis Baccharidis *H. Amſt.* p. 5. Tab. 3. canabinum *Americanum* alatum fl. aphyllō globoſo aurantio Baccharidis foliis *Brey* pr. 2. *Ameri.* bidens alatum fl. parvo aurantiaco *Pluk. Tab. 84. Fig. 3.* Conyzoides caule alato *Curassavicum P. B. P.* Conyz. *Curass.* Abrotani fem. flore aurantio *ejusd. Sl. Cat. Plant. Fam. 126.*

4. *Portulaca Americana* latifolia erecta, floribus albis *H. Amſt.* p. 7. Tab. 4. & *P. B. P.* affinis *Amer.* tricapsularis erecta fl. albo, pediculis anguloſis *Pluk. Tab. 105. Fig. 6.*

5. *Portulaca Curassavica* anguſto longo lucidoque folio procumbens, floribus rubris *H. Amſt.* p. 9. Tab. 5. & *P. B. P. Alm. Bot. 303.* *Amer.* procumbens longo levique folio glauco, flore pulpureo pulchro *Anagallidis Breyn. Prod. 2.*

6. *Blattaria Zeylanica* flore amplo miniato *Cat. H. Amſt.* Ceyl. fl. amplo coccineo *H. Ejusd.* p. 11. Tab. 6.

7. *Linaria Luſitanica* procumbens polygoni folio, fl. pallido ceruleo riſtū. luteo *H. Amſt.* p. 13. Tab. 7. & *Cat. ejusd.*

8. *Convolvulus Americanus* pilofus, fl. luteo, umbone purpureo *H. Amſt.* p. 15. Tab. 8. *Africanus*, ſive *Guineenſis* pumilis *Sagittæ* foliis fl. campanulato obſoleti luteo fundo purpurafcente *H. Beam.*

9. *Ricinus Americanus* perennis, floribus purpureis, ſtaphid. agriæ foliis *H. Amſt.* p. 17. Tab. 9. *Indicus* pilofus trifidus vel quinquifidus flosculis atro purpureis in umbella aggregatis *Pluk. Tab. 56. Fig. 2.* *Braſilianus* perennis fl. purp. fol. Staph. non-nihil ſimili *P. B. P. Amer.* fol. Staphiſagriæ *C. B. 432, & 518.* minor Staph. fol. fl. pentap. purpureo *Sl. Cat. Plant. Fam. 41. Wild Caſſada Jamaiceniſibus.*

10. *Ricinus Tithymalodes Americanus* lacteſcens & urens floribus albis *H. Amſt.* & *P. B. P.* lacteſcens *Fici* foliis ſpinulis mordacibus armatis *Pluk. Tab. 220. Fig. 3.* Frutex innominatus pungens & urens *Marcgr. p. 79. Fig. Brancamos Luſit.*

11. *Euphorbium Cerei* effigie caulibus craſſioribus ſpinis validioribus armatum *Breyn. pr. 2.*

12. *Euphorbium antiquorum verum H. Amſt.* p. 23. Fig. 12. *Tithymalus Indicus* Spinofus & anguloſus lacte turgens acri *H. Beam. T.* aizoides triangularis nodofus & ſpinofus lacte turgens acri *Alm. Bot. 370. Schadida Calli H. Mal. V. 2. Tab. 42. p. Pada Nirvuli Bram. Sidera Calli Zeyl. Ray H. Pl. 878.*

13. Ti-

13. *Tithymalus Indicus* arborefcens fpinofus, Nerii folio *H. Amft.* p. 25. Tab. 13. Zeylanicus fpinofus arborefcens *P. B. P.* & Append. *Pluk.* Tab. 230. Fig. 4. Euphorbio & Tithymal. media affinis aizoides indica arb. fpinofa Nerii folio *Breyn.* Pr. 2. *Ela-calli* *H. Mal.* V. 2. Tab. 43. p. 83. *Nivuli* *Bram. Raii H. Pl.* 1888.

14. *Tithymalus Indicus* frutefcens *H. Amft.* p. 27. Tab. 14. & *Raii H. Pl.* 1710. ramosiffimus frutefcens penè aphyllus *P. B. P.* arborefcens caule aphylo *Pluk.* Tab. 319. Fig. 6. aphyllus *Planta Mauritanica Imperati* 664. Fig. *Tiru-calli*, *H. Mal.* V. 2. Tab. 44. p. 85. *Portigalli vivuli* *Bram.*

15. *Tithymalus Arboreus Americanus* Cotini folio *H. Amft.* p. 29. Tab. 15. & *Cat. Ejusd.* Curaffavicus folio Cotini *Massinilia Sylvestris P. B. P.* Curaff. fol. Cotini triphyllos petalis fofculorum ferratis *Alm. Bot.* 369. *Pluk.* Tab. 230. Fig. 3. *Sirinamenfis* arborefcens Cotini f. *Coccigriæ* foliis & facie *Breyn.* Pr. 2.

16. *Tithymalus Curaffavicus* Myrtifolius, flore papilionaceo coccineo parvo *H. Amft.* p. 31. Tab. 16. & *P. B. P. Pluk.* Tab. 230. Fig. 2. T. vel T. affinis f. fimilis aphyllus dictus, major indicus latifolius fl. Sanguineo aviculæ capitulum representante *Breyn.* Pr. 2. T. fimilis frutefcens Amer. Myrtifolius fl. difformi rubicundo *Cat. H. Amft.*

17. *Planta lactaria Africana* *H. Amft.* p. 33. Tab. 17. Tithymali fortè genus *Planta lactaria Afficana* Pini fructuum facie *Breyn.* Pr. 2. an T. *Æthiop.* aphyllus verrucosus rad. tuberosa *H. Amft.*

18. *Alcea Bengalensis* fpinofiffima Acetofæ fapores, fl. luteo pallido umbone purpurafcente *H. Amft.* p. 35. Tab. 18. spin. *Madrafpatana* foliis profunde laciniatis Cannabis in modum pentaphyllea faporis acidi *Pluk.* Tab. 5. Fig. 4. Indica fpinofa magno flore ex albido flavefcence *Com. in H. Mal.* A. Acetofa Indica fpinofa, foliis profunde laciniatis flore fubluteo amplo *Breyn.* Pr. 2. *Althea indica* fpinofa Acetofæ fapores fl. flavo pendente *P. B. P.* Zeylan. foliis afperis profunde laciniatis foliorum Cannabis infar faporis acidi *H. Leyd.* p. 27. Acetofa indica *Bontii* p. 113. Fig. *Narinam-pulli* *H. Mal.* V. 6. Tab. 44. p. 75. *Ambetti* *Brach. Fula Gafinhola* *Lufit. Krabben doorn* Belg. *Nelta* *Hen. van Rheede. Raii H. Pl.* 1901.

19. *Alcea Americana* annua fl. albo maximo, fructu maximo pyramidali fulcato *H. Amft.* p. 37. Tab. 19. annua *Sirinamenfis*

menfis fl. amplo, fr. max. fulcato, striato pyramidali *Cat. H. Amst.* Brasilianum fr. max. pyram. fulcato *Alm. Bot.* max. Malvæ Rosæ fol. fr. decagon. recto crassiore brevior esculent. *Sl. Cat. Pl. Fam.* 98. *Ocbroa, Okkoro, & Kinkanbau* Surinam. & *Okra* Jamaicensibus dicitur.

20. *Cistus* *Ledon* flore maculâ nigricante notato *H. Amst.* p. 39. Tab. 20. *I. B. V. 2. L. 13. p. 8. Fig. Chabr.* 97. *C. Led.* Laurinis foliis angustioribus fl. albo, unguiculis petalorum purpureis *Alm. Bot.* 101. *Ladanifera* Hispanica incana *CB.* 467. *Ray H. Pl.* 1009.

21. *Oxys* bulbosa *Africana* rotundifolia, caulibus & floribus purpureis amplis *H. Amst.* p. 41. Tab. 21. an bulb. Afr. rotund. fl. purp. amplo *Breyn. Pr.* 2? affinis *Planta* bulbosa *Afric.* fl. purp. magno *Ejusd. Cent. c.* 46. p. 102. Fig. Afr. fl. purp. magno rad. bulbosa *H. Leyd.*

22. *Oxys* bulbosa *Æthiopica* minor fol. cordato fl. ex albedo purpurascente *H. Amst.* p. 43. Tab. 22. an *Afric.* fol. & flore parvo albente rad. *Asphœli P. B. P. Trifol. bulbosum* fl. albo *Promont. bonæ spei* *Bod. a Stapel in Theophr.* 336.

23. *Nerium* latifol. *Indicum* fl. variegato odorato pleno *H. Amst.* p. 45. Tab. 25. & *H. Leyd. Ind. fl. rubescente* pleno *Breyn. Pr.* 2. *Ind. Latifol. fl. rubro & aliquando variegato* pleno *H. Beam. Fula mæstica* *Zeylonens.*

24. Flos *Clitorius* Fl. ceruleo pleno. *Phaseolus Indicus* *Glycyrrhizæ* foliis fl. amplo cæruleo pleno. *H. Amst.* 47. Tab. 24.

25. *Phaseolus minimus* perennis *Americanus* fl. luteo, foliis Alari lanuginosis solitariis *H. Amst.* p. 49. Fig. 25. & *Breyn. Prod.* 2. unifolius *Occidentalis* Alari venoso folio dispermos *Pluk. Tab.* 105. Fig. 1. *Orob.* *Americanus* *Asari* folio singulari *P. B. Pr.*

26. *Senna spuria* *Occident.* odore *Opii* viroso, fol. mucronatis glabris *H. Amst.* p. 51. & *H. Leyd. Sl. Cat. Plant. Fam.* 148. *Orob.* *Brasiliensis* fl. luteo *Pajomirioba* *Marcgr. Raii H. Pl.* 912.

27. *Chamæcrista Pavonis* major *H. Amst.* p. 53. Fig. 27.

28. *Æschynomene spinosa* latifolia sive *Herba viva* vel *Mimosa latifolia* piloso & subrotundo folio *H. Amst.* p. 55. T. 28.

29. *Æschynomene* fl. globoso albido siliculis articulatis echinatis *H. Amst.* p. 57. Fig. 29. an *Mimosa spinosa* 3. sive foliolis *Acaciæ* angustioribus siliquis parvis echinatis *Breyn. Cent.* p. 40. c. 18. Fig?

30. *Æschynomene spinosa* 5, sive foliolis *Acaciæ* latioribus fron-

frondibus aculeos longissimos habentibus *H. Amst.* p. 59. Fig. 30. & *Breyn. Cent.* c. 20. p. 44. Fig.

31. *Æschynomene mitis* *H. Amst.* p. 61. Fig. 31. Wilde Dryve bonen *Curasi.*

32. *Tribulus terrestris Americanus* *Chamæcisti* flore, fructu spinoso maximo *H. Amst.* p. 63. Fig. 32. & *Breyn. Pr.* 2. ter. *Amer.* Argemones fl. flavo *Pluk.* Tab. 67. Fig. 4. ter. major *Curassavicus* *P. B. Pr. an.* ter. maj. fl. max. odorato *Sl. Cat. Plant. Jam.* 90?

33. *Orleana* five *Orellana* folliculis lappaceis *H. Amst.* p. 65. Fig. 33. & *H. Leyd. Pluk.* Tab. 209. Fig. 4. *Sl. Cat. Plant. Jam.* 150. *Raii H. Pl.* 1771.

34. *Phalangium Æthiopicum* ramosum floribus albis petalis reflexis *H. Amst.* p. 67. Fig. 34.

35. *Lilium Zeylanicum* superbum *H. Amst.* p. 69. Fig. 35. *Mendoni H. Mal V.* 7. Tab. 57. p. 107. *Methonica Malab. Nienghala Zeylan. Pluk. Tab.* 116. Fig. 3.

36. *Lilio-Narcissus Africanus* platycaulis humilis flore purpurascens odorato *H. Amst.* p. 71. Fig. 36. an *Narcissus* major *Indicus* serotinus *Cornuti.* c. 57. p. 155?

37. *Lilio-Narcissus Ceylanicus* latifolius flore niveo, externe lineâ purpureâ striata *H. Amst.* p. 73. Fig. 37. maximus *Zeyl.* floribus albis umbellatis *Alm. Bot.* 219. *Lilium Zeyl.* umbelliferum floribus albis *H. Leyd. Tolabo Zeylan. Belutta pola-taly H. Mal. V.* 11. Tab. 38. p. 75.

38. *Narcissus Ceylanicus* fl. albo hexagono odorato *H. Amst.* p. 75. Fig. 38. & *H. Leyd. Lilio-Narcissus Indicus* fl. albo hexagono *Alm. Bot.* 220. *Lunula Zeyl. Catulli pola H. Mal. V.* 11. Tab. 40. p. 79.

39. *Narcissus Amboinensis* folio latissimo rotundo, floribus niveis inodoris *H. Amst.* p. 77. Fig. 39. an *Allium Amboinense* folio rotundo s. *Cepa* *tylv. Amboinensis Rumphii P. B. P?*

40. *Gratiolæ* affinis frutescens *Americana* foliis *Agerati* s. *Veronicae* erectæ majoris *H. Amst.* p. 79. Fig. 40. & *Breyn. Pr.* 2. *Capraria Curassavica* *Cabiritta vulgo. P. B. P.* *Lysimachiae* purpureæ affinis *Americana* procumbens *Anonidis* vernæ frutescentis foliis singulari glabro *Pluk. Tab.* 98. Fig. 4. *West India Chea. Sl. Cat. Plant. Jam.* 90.

41. *Gladiolo Æthiopico* similis, *Planta angustifolia* caule hirsuto, fl. rubicundissimo *H. Amst.* p. 81. Fig. 41.

42. *Sisynrichium Æthiopicum* majus latifolium, fl. albis hexapetalis

apetalis lineis purpureis striatis *H. Amst.* p. 83. Fig. 42.

43. *Sifynrichium Æthiopicum* majus angustifolium fl. albis *H. Amst.* p. 84. Fig. 43.

44. *Sifynrichium Æthiopicum* minus. latifolium fl. hexapetalo albo *H. Amst.* p. 84. Fig. 44.

45. *Amaranthus globosus Malabaricus* flore purpureo. affinis *Indiæ Orientalis* fl. glomeratis *Ocymoidis folio Breyn. Cent.* 1. p. 109. cap. 51 Fig. & *H. Amst.* p. 85. Fig. 45. *Amaranthoides Indicum* monospermum, foliis *Ocymastri capitulis purpureis P. B. P.* *Gnaphalio* affinis *Ocymastri folio*, flore ex purpureo violaceo *H. Bos. & Leyd.* *Wadapou H. Mal.* V. 10. Tab. 37. p. 73. *Gondo Bram. Wadambu Zeyl. Fulo Buton Malais.*

46. *Polygala arborea Myrtifolia Cap. Bonæ Spei*, fl. albis intus purpureis *H. Amst.* p. 87. Fig. 46.

47. *Angelica arborescens spinosa* f. *Arbor Indica Fraxini folio*, cortice spinoso *Raii H. Pl.* 1798. *Christophoriana arbor aculeata Virginienfis Pluk.* Tab. 20. Fig. 1. *Arbor Spinosa Fraxini Foliis Virginiana D. Morgan Alm. Bot.* 98. & *H. Amst.* p. 89. Fig. 47.

48. *Aloe Succotrina angustifolia spinosa* fl. purpureo *Breyn. Pr.* 2. & *H. Amst.* p. 91. Fig. 48. *Americana Ananæ foliis flor. suaverubentibus*, ex *Codice Beningiano Pluk.* Tab. 140. Fig. 4. *Indiæ Orientalis serrata* f. *Succotrina vera* fl. phæniceis *H. Beam.* an *A. Amer. serrata* fl. coccineis *P. B. Pr?*

49. *Aloe arborescens Africana* *H. Beam. & H. Amst.* p. 93. Fig. 49.

50. *Arum Æthiopicum* fl. albo odorato *H. Amst.* p. 95. Fig. 50. *Æth.* fl. albo odorato, *Moschum redolente H. Leyd. Afr.* fl. albo odorato *P. B. P.*

51. *Arum humile Ceylanicum latifolium*, pistillo coccineo *H. Amst.* p. 97. Fig. 51.

52. *Arum polyphyllum Ceylanicum*, caule scabro, viridi diluto, maculis albicantibus notato *H. Amst.* p. 99. Fig 52. *A. polyphyllum Dracunculus & serpentaria dictum Ceylonicum* caule glabro viridi diluto, maculis albicantibus notatis, majus & elatius *Cat. H. Amst. Schæna H. Mal.* V. 11. Tab. 18. p. 35.

53. *Arum Ceylanicum*, polyphyllum, caule aspero, maculis viridi fuscis, viridi dilutis & albicantibus pulchre notato *H. Amst.* p. 101. Fig. 53. *A. Polyphyllum Dracunculus & serpentaria dictum Ceylonicum* caule aspero cum maculis viridi fuscis & viridi dilutis albicantibus pulchre notatum, majus & elatius *Cat.*

H. Amst.

H. Amst. an *A. polyph. Dracont. & Serpent.* dictum folio ramofo *Pæoniæ* instar caule aspero *Zeylanicum* *P. B. Pr.*

54. *Balsamina Cucumerina Indica* fructu majore flavescente *H. Amst.* p. 103. Fig. 54. *B. Cuc. Ceylanica* fructu flavescente *Cat. Hort. ejusd.* *Cucumis puniceus Indicus* major *P. B. Pr.* pun. *Zeylanic. H. Leyd.* major feminibus alb. *H. Leyd.* app. 663. pun. *Indic.* fr. majore ex flavo rubente *Com. Not. in H. Mal. Momordica Ceyl.* fr. Pyriformi majore ex flavo rubente sem. albis *H. Beam.* *Pandi-Pavel H. Mal. V. 8. Tab. 9. p. 17.* Valli carati *Bram.* *Maragosa & Folhas Margoseira* com fruita grande *Lusit. Groot Bierblad. Belg. Poncleii Benghal.*

55. *Ficoides* vel *Ficus Americana* sphaerica, tuberculata, lactescens fl. albo fructu rubro pyramidali *H. Beam. & H. Amst.* p. 105. Fig. 55. *F. f. Melocactus mamillaris* glabra, sulcis carens fructum suum undique fundens *Pluk.* Tab. 29. Fig. 1. Occidentale spinosum minus absque tomento *H. Leyd.* app. *Echinomelocactus* minor lactescens absque tomento cylindris strictioribus *P. B. Pr.* tuberosus, f. globularis minor ex *Hort. Fagel.* *Sch. Bot. 33.* *Opuntia Echinomelocacti* effigie tuberosa, fructu levissimo *Amethystino Breyn. Pr. 2.*

56. *Ficus Indica* f. *Opuntia Curassavica* minima *H. Beam. & H. Amst.* p. 107. Fig. 56. *F. l. minima* spinis brevissimis munita ex *Hort. Fagel. Schol. Bot. 33.* *Opuntia Americana* minima spinis creberrimis tenuissimis *Breyn. Pr. 2.* an minima *Indica H. Pisani?* Forte etiam *Ficus. Ind. omnium minima, spinulis tenellis undique armata ex Virginia Alm. Bot. 147. The Pin-pillow.*

57. *Ananas H. Amst.* p. 109. Fig. 57. & *St. Jam. 77. Pis. p. 195. Ger. 1550. Fig. Acoft. & Linscotti I. B. V. 3. L. 25. p. 95. Fig. Chabr. 356. & 57. Fig. A. fructus Bontii p. 145. Anana f. Pina Park. 1626. Fig. Carduus Brasiliensis foliis Aloes CB. 384. The Pine-Apple.*

58. *Palma Prunifera* humilis non spinosa *Insula Hispaniolæ* fructu Jujubino similis, officulo triangulo *H. Amst.* p. 111. Fig. 58. an *Palma Americana* non spinosa crassis rigidisque foliis, caudice scabro in caput protuberante *P. B. P. ? an P. Amer.* foliis Polygonati brevioribus leviter ferratis & nonnihil spinosis trunco crasso *Breyn. Pr. 2 ? & Pluk. Tab. 103. Fig. 2. & Tab. 309. Fig. 5 ?*

59. *Cupressus Virginiana* foliis *Acaciæ* deciduis *Raii H. Pl. 1408. & H. Amst. p. 113. Fig. 59. Virg. fol. Acaciæ cornigeræ* paribus & deciduis *Pluk. Tab. 85. Fig. 6. Virg. foliis Abietis mol.*

mollibus atq; deciduis *Breyn. Pr. 2.* & rectius *Abies Virg. foliis mollibus Mimosa atq; deciduis Ejusd. Cup. Virg. H. Tradescant. Virg. foliis Acaciae deciduis H. Leyd. Tlatzcan f. Cupressus Amer. fula. Hern. 98. (ex sent. D. Pluk.) & Raii H. Pl. 1933. Cap. 80. Cupr. Amer. an Thuia Theophr. Cupresso similis cujus fructus Habbel huic assimulatur Park. 1477. Fig.*

60. Manghala Arbor *Curassavica* foliis salignis *P. B. P. & H. Amst. p. 115. Fig. 60.* Frutex innominatus 2. f. instar Salicis pumilae foliis Salignis *Marcgr. 76. Fig. Salix Brasiliensis 2da. capitulifera Johnst. Dendr. 446. Tab. 126. Alnus maritima Myrtifolia Coriariorum Button-wood Bermudensibus vulgò Pluk. Tab. 240. Fig. 3. Alni fructu Laurifolia arbor maritima Sl. Cat. Plant. Fam. 135. Alno affinis Americana Ligustri folio, fructu spicato rubro Breyn. Pr. 2. & Pluk. Tab. 128. Fig. 2. Jamaica Button-Tree.*

61. *Nux Zeylanica* Juglandis folio *P. B. P. & H. Amst. p. 117. Fig. 61.* Domba-Geddy *Zeylan.*

62. *Ficus Bengalensis* folio subrotundo, fructu orbiculato *H. Beam. Americana latiori folio venoso ex Curacao Pluk. Tab. 178. Fig. 1. an F. Indica fol. oblongo obtuso fr. minore pallide luteo sphaerico Sl. Cat. Plant. Fam. 189. an F. arbor Barbadosum Ligonis p. 69. Peralu H. Mal. V. 1. Tab. 28. p. 49. Vadhocè Bram. Pipal. Bengal. Ficus. Malabarensis fol. crassiusculo, majori, fructu gemino intensè rubente Com. not.*

63. *Gujava alba dulcis P. B. P. & H. Amst. p. 121 Fig. 63. alba acida fr. rotundiori Indiae Orient. Pluk. Tab. 193. Fig. 4. Guayava Ger. 1612. Fig. id. em. 1612. Fig. Park. 1634. Fig. Indica fructu mali facie pulpa interiore alba I. B. Var. V. 1. L. 1. p. 108. Fig. fals. & Chabr. Var. p. 5. Fig. fals. Guajabo pomifera Indica pulpa candida CB. Var. 437. & Guajanos in Hispania nova, &c. Ejusd. 441 Pela & Pelouka Mal. Pera Brach. Guajavas seu Peera Lusit. Goejaves Belg. H. Mal. V. 3. Tab. 34. p. 31. The large white Guava.*

64. *Vitis Idea Aethiopica Myrti Tarentinae folio, flore atro purpureo H. Amst. p. 123. Fig. 64. an Frutex Aethiopicus baccifer foliis Myrtilli Breyn. Cent. p. 9. c. 5. Fig.*

65. *Vitis Idea Aethiopica Buxi-minoris folio, floribus albidis H. Amst. p. 125. Fig. 65. an Frutex Aethiop. baccifer fol. Myrtilli alter Breyn. Cent. p. 10?*

66. *Amaranthus baccifer Circae foliis H. Amst. p. 127. Fig. 66. bacc. Indicus minor Circae folio & facie H. Beam. 1. semine*

femine & facie Americana foliis Circeæ P. B. P. & Helitropium Curassavicum Scammonii foliis mollibus subhirsutis *Ejusd.* Amer. majus foliis Populæ nigræ languinosi fl. albo minimo *Breyn.* Pr. 2. & Monophyllum Amer. Circeæ foliis & facie fl. albo parvo *Ejusd.* Pr. 2. Solanum racemosum Americanum minus *Sl. Cat. Plant. Fam.* 85. Barbadiense racemosum minus tinctorium Circeæ foliis mollibus & incanis *Pluk. Tab.* 112. Fig. 2. an Seconde plante guerissante le mal des dents Du Tertre p. 92 ?

67. *Malus Americana trifolia*, fructu pomi Aurantii instar colorato. *Arach. Simmeron.* vulgò *H. Amst.* p. 129. Fig. 67. an *Anona trifolia*, flore stamineo, fructu Sphærico ferrugineo scabro minore Allii odore *Sl. Cat. Plant. Fam.* 205 ?

68. *Malus Americana Laurocerasi folio venenta*, *Mancinello* arbor seu *Massinilia* dicta *H. Amst.* p. 131. Fig. 68. Juglandi affinis arbor julifera lactescens venenata *Pyrifolia*, *Mancanilla* Hispan. dicta *Sl. Cat. Plant. Fam.* 129. *The Manchaneel Tree.*

69. *Anona H. Amst.* p. 133. Fig. 69.

70. *Malus Americana spinosa*, *Portulacæ folio*, fructu folioso, femine reniformi splendente *Blad-appel* vulgò. *H. Amst.* p. 135. Fig. 70.

71. *Arbor Americana Cucurbitifera*, folio longo mucronato, fructu oblongo *H. Amst.* p. 137. Fig. 71. A. *Cucurb. folio longo mucronato* s. *Laurino Raii H. Pl.* 1668. *Cucurbitifera arbor Americana*, folio longo mucronato fructu orbiculari, granis cordiformibus pulpa nigra involutis *Pluk. Tab.* 171. Fig. 1. *Laurifolia Guineensis CB* 461. *Arbor folio Lauri fructu Cucurbitæ L. B. V.* 1. L. 1. p. fol. *Lauri ex Guinea Chabr* 51. Fig. transpositâ.

72. *Sebestena domestica CB.* 446. & *H. Amst.* p. 139. Fig. 72. *Sebesten Park.* 252. Fig. *Seb. Myxa* sive *Myxaria Ger.* 1315. Fig. id. em. 1499. Fig. *Domestica Alp. Ægypt.* 12. Fig. *Myxa domestica* s. *Sebesten IB. V.* 1. L. 2. p. 197. *Chabr.* 12. Fig. *Prunus Sebestena Matthioli H. Lugd. & Pluk. Tab.* 217. Fig. 2. *The true Sebesten or Assyrian Plumb.*

73. *Jujube Americana spinosa*, *Loti arboris foliis & facie*, fructu rotundo parvo dulci *H. Beaum. & H. Amst.* p. 141. Fig. 73. *Leguana-ria* vulgò seu *Arbor Arabica spinosa foliis & facie Loti arboris P. B. P.* an *I. f. Zizyphus* *Africa mucronatis foliis spinâ gemellâ Pluk. Tab.* 197. Fig. 3.

74. *Prunus Javanica Atriplicis foliis Kakoufa Javanensibus H. Beaum. & H. Amst.* p. 143. Fig. 74. an *Elemnifera Curassavica arbor P. B. P. ? & Pluk. Tab.* 173. Fig. 5 ?

75. *Cerasus Jamaicensis fructu tetrapyreno H. Amst.* 145. *Curassavica*

rassavica fr. tetrap. *Scinmeraka* Curals. *P.B.P.* & *H. Beaum. Simmerouke* Indiginis. Amer. Myrti conjugatis foliis fructu acerbo tetrapyrene *Pluk.* Tab. 157. Fig. 4. an Arbor baccifera, folio subrotundo, fructu cerasino sulcato rubro polypyreno, officulis canulatis *Sl. Cat. Plant. Jam.* 172?

76. *Azadirachta Indica* foliis ramosis minoribus, fl. albo subceruleo purpurascente majore *Breyn. Pr.* 2. & *H. Amst.* p. 147. Fig. 76. *Azedarach* floribus albis sempervirens *H. Leyd.* app. *Indica* foliis non deciduis officulo polypyreno. *P.B.P.*

77. *Terebinthus Americana* polyphilla *P.B.P.* & *H. Amst.* p. 149. Fig. 77. *Palamalatta* dictum *Pluk.* Tab. 228. Fig. 6. an major, *Betulae* cortice, fructu triangulari *Sl. Cat. Plant. Jam.* 167?

78. *Viburnum Americanum* *Urticae* foliis *Lamii* odore, floribus miniatis. *H. Amst.* p. 153. Fig. 78. Amer. non spinosum *Melissae* foliis floribus coccineis *P. B. P. Pluk.* Tab. 114. Fig. 4. Amer. odoratum fol. *Urticae* fl. miniatis *H. Leyd.* app. *Pseudo-viburnum Americ.* Rivini 21. *Periclymenum rectum* *Urticae* folio fl. coccineo amplo *Sl. Cat. Plant. Jam.* 164. *Camara* fl. rubro *Marcgr.* 5. *Camara-juba* *Pil.* ed. 48. p. 86. *Camaratinga* *Ejusd.* ed. 58. p. 176.

79. *Mespilus Americana* *Laurifolia*, glabro fructu rubro mucilaginoso *H. Amst.* p. 153. Fig. 79. *Calabura rubra* foliis *Laurinis* *P.B.P.* & *Pluk.* Tab. 326. Fig. 5.

80. *Mespilus Americana* *Alni* vel *Coryli* foliis, fructu mucaginoso albo *H. Amst.* p. 155. Fig. 80. *Calabura alba* *P.B.P.* & *Pluk.* Tab. 152 Fig. 4. & Tab. 326. Fig. 4.

81. *Rhus Virginianum* foliis *Myrti* *H. Amst.* p. 157. Fig. 81.

82. *Jasminum Azoricum* trifoliatum, flore albo odoratissimo *H. Amst.* p. 159. Fig. 82. *Az. fl.* albo *Virid. Lusit.* Amer. trifol. odoratissimum fl. albo *H. Leyd.* app. an alb. trifoliatum fl. magno ex *Infusula Maderensi* *Pluk.* Tab. 303. Fig. 1.

83. *Lycio* similis frutex *Indicus* spinosus *buxi* folio *Breyn. Pr.* 2. & *H. Amst.* p. 161. Fig. 83. an *Ebenus Jamaicensis* *Arbucula Buxi* foliis spinosa, fl. luteo (papilionaceo filiquifera) *Pluk.* Tab. 89. Fig. 1? an *Aspalathus arboreus* s. *Pseudo-Ebenus Buxifolio* fl. luteo patulo, filiquâ latâ brevi chartaceâ, semen exiguum reniforme completente *Sl. Cat. Plant. Jam.* 140?

84. *Lycium Æthiopicum* *Pyracanthæ* folio *H. Amst.* p. 163. Fig. 84.

85. *Ulmifacie* *arbucula Æthiopica* ramulis alatis, floribus purpurascens *H. Beaum.* & *H. Amst.* p. 165. Fig. 85. *U. arbor Curassavica* *P.B.P.* *Ulmifolia arbor Africana* baccifera floribus purpureis *Pluk.* Tab. 237. Fig. 1. *Lycium Africanum* non spinosum *Ulmifacie*, floribus speciosis *Alm. Bot.* 393.

86. *Evo-*

86. *Evonymus Novi Belgii*, Corni feminae foliis *H. Amst.* p. 167. Fig. 86. an *Jujubinis foliis Caroliniensis* fructu parvo ferè umbellato *Pluk.* Tab. 28. Fig. 6?

87. *Evonymus Virginiana* Ribesii folio, capsulis eleganter bullatis *H. Amst.* p. 169. Fig. 87. *Anonymos Ribesii foliis Icon. Roberti. Raii H. Pl.* 1708: Americ. Ribesii foliis, umbellatâ *Melianthi* capsulâ minore *Alm. Bot.* *Spirea Opuli folio El. Bor.* 490.

88. *Guajacum Americanum* *Lentisci* fol. *H. Amst.* 171. Fig. 88. fol. *Lentisci Hort. Fagel Breyn. Pr.* 2. Amer. alterum fructu *Evonymi Ejusd.* Pr. 2. *Jasminum* vulgò *Americanum* at *rectius* *Evonymo* adfinis *Occidentalis alatis Rusci foliis Nucifera*, cortice ad genicula fungoso. *Pluk.* Tab. 94. Fig. 4. *Pockhout Belgis.*

89. *Arbor Brasiliiana Myrti Laureæ* foliis inodori *H. Amst.* p. 173. Fig. 89.

90. *Arbor Baccifera Indica*, foliis majoribus splendentibus flore pentapetalo *H. Amst.* p. 175. Fig. 90.

91. *Frutex Æthiopicus* *Portulacæ* folio, flore ex albido virescente *H. Amst.* p. 177. Fig. 91.

92. *Rhus Africanum* trifoliatum majus, foliis subtrès argenteis acutis & margine incisfis *Pluk.* Tab. 219. Fig. 6. *Synonima hujus Horti* malè adnectuntur.

93. *Rhus Afric.* trifoliatum majus, fol. surotundo glabro splendente nob. est varietas major ultimæ speciei *Alm. Bot.* 319. Hic Figuratur p. 181. Cap. 93. sub nomine *Vitis trifolia Indica rotundifolia*, sed minus rectè cum ceteris cognominibus.

94. *Nux Americana* foliis alatis bifidis *H. Beaum. & H. Amst.* p. 183. Fig. 94. N. A. costâ foliorum appendicibus aucta *Pluk.* Tab. 207. Fig. 4. *Knippa & Tackboom P. B. P.*

95. *Arbor Camphorifera Japonica* *Breyn. Cent.* p. 11. & pr. 1. A. C. *Jap.* foliis Laurinis fructu parvo globoso calyce brevissimo *Ejusd.* Pr. 2. & *H. Amst.* p. 185. Fig. 95. *Camphora Park.* 1675. *Officinarum C.B.* 500. *Camphorifera arbor*, ex qua *Camphora* *Officinarum H. Leyd.*

96. *Staphylodendron Africanum* sempervirens foliis splendentibus *Cat. Hort. Amst. & H. Ejusd.* p. 187. Fig. 96. *Afric.* folio lucido *P.B.P.* *Pistachia Africana* f. *Staphylodendron Æthiopicum* *Μονολασιοναλλισομνοφυλλον* singulari hirsuto folio nitente *Pluk.* Tab. 63. Fig. & Tab. 317. Fig. 5. *Arbor* quædam rarissima lucens, fructibus *Halicacabi Breyn. Cent.* p. 177. & *Halicacabum arborecens Ejusd.* 180.

97. *Arbor Virginiana*, *Citriæ* vel *Limonis* folio *Benzoinum* fundens *H. Amst.* p. 189. Fig. 97. A. *Virg.* *Pisaminis* folio baccata *Benzoinum* redolens *Pluk.* Tab. 139. Fig. 3, & 4. *Arbor Benzoinifera Breyn. Pr.* 2.

98. *Stryax arbor Virginiana* *Aceris* folio, potius *Platanus Virginiana* *Styracem* fundens *Ray H. Pl.* 1799. & *H. Amst.* p. 191. sed *Figura & descriptio* hujus *Horti* aliam plantam potius representare videntur, nimirum *Acerem Virg.* folio majore subtus argenteo supra viridi splendente *Pluk.* Tab. 2. Fig. 4. quæ *Acer floescens Virginiana* vulgò dicitur.

99. *Apocyno* affinis *Portoricensis* folio *Hastæ* cuspidi simili *H. Amst.* p. 193. Fig. 99. A. *Portoric.* frutescens foliis crassis hastæ cuspidi similibus *H. Beaum. & Pluk.* Tab. 137. Fig. 6. *Tithymalus Portoric.* fol. crassis hastæ cuspidi simili *P.B.P.*

100. *Laurifolia Africana* H. Amst. p. 195. Fig. 100. *Swarte-Bast* apud Belgas Promontorii Bonæ Spei.

101. *Sideroxylum Africanum* Cerasi folio H. Amst. p. 197. Fig. 101. an *S. Afr.* f. *Lignum ferreâ duritie folio oblongo* P.B.P. *Lignum ferreum* vulgo. *Ejusd.*

102. *Phyllanthos Americana* planta, flores è singulis foliorum crenis profertens P.B.P. & H. Amst. p. 199. Fig. 102. *H. Beaum.* Amer. angustiori & longiori folio ramosa caulescens *Pluk.* Tab. 247. Fig. 4. *Lonchitidi* affinis arbor anomala folio alatoè pinnarum crenis fructifero *St. Cat. Plant. Fam.* 15. *Hippoglossi* fortè cognata *Surinamensis* foliis *Oleandri* serratis, in crenarum extremo foliosos perminutos sanguineos gerentibus vel forte *Hemionitidi* affinis *Breyn.* Pr. 2. an *H. aff. Amer.* epiphyllanthos folio simpliciter pinnato *Hippoglossi* æmulo, radice reptatrice lignosa ad foliorum crenas florida *Pluk.* Tab. 36. Fig. 7 ?

103. *Erythroxylum Japonicum* non spinosum *Coronillæ* folio H. Amst. p. 201. Fig. 103. *Japanische Blom-boom* Belg.

104. *Corallinum lignum* P.B.P. *Pluk.* Tab. 169. Fig. 1. seu *erythroxylum Americanum*, *Glycyrrhizæ* folio, floribus ex luteo & rubro variegatis siliquâ latissimâ H. Amst. p. 203. Fig. 104. *Glycyrrhiza* vel (si mavis) *Glycyrrhizæ* affinis arboreascent *Americana*, floribus ex luteo & rubro variegatis folio acuminato siliquâ latissimâ *Breyn.* Pr. 2. *Corallen hout* Belg.

105. *Acacia Javanica* sulcata, caule & foliorum costis spinosis H. Beaum. & H. Amst. p. 205. Fig. 105. *Durii* spinge ricat *Malais* & *Javanensibus*.

106. *Acacia Javanica* non spinosa foliis maximis splendentibus H. Amst. p. 207. Fig. 106. *Hert. Beaum.* & *Pluk.* Tab. 123. Fig. 3. *Caduwang. Javan.*

107. *Acaciæ* similis spinis corniformibus *Mexiocana* *Breyn.* Pr. 2. & H. Amst. p. 209. Fig. 107.

108. *Coral arbor Americana* H. Amst. p. 211. Fig. 108. *Spinosa* occidentalis fructu intensius rubente P.B.P. *Coral arbor Lusitanica* vulgò *Ejusd.* *Arbor Corallii Ferrar.* flor. p. 380.

109. *Draco arbor Indica* siliquosa *Populi* folio *Angsana* vel *Angsava* *Javanica* H. Amst. p. 213. Fig. 109. describitur in *Ephemer. German.* Ann. 13. Obf. 37.

110. *Cassia fistula Alexandrina* CB. 403. & H. Amst. p. 215. Fig. 113. *Raii* H. Pl. 1746. & *St. Cat. Plant. Fam.* 145.

111. *Cassia fistula Javanica* fl. carneo. H. Amst. p. 217. Fig. 111. *Indica* fl. carneo *Clar. Sebastiani Faglierii* *Breyn.* Pr. 2.

112. *Nux Been Ceylanica* siliquâ triangulâ seminibus alatis H. Leyd. app. *Balanus Myrepica* siliqua triangulari semine minore alato *Breyn.* Pr. 2. *Moringa Lentisci* folio fructu magno anguloso in quo *Semina Ervi* IB. V. 1. L. 12. p. 435. *Moringa* H. Mai. V. 6. Tab. 11. p. 19. *Lusit. Belg.* & *Acest.* *Katu Murungba Zeylan.* *Arbor exotica Lentisci* folio CB. 399. *Glans Unguentaria Jonsf. Dendr.* p. 130. Tab. 43. Fig.